
DELTA
TECHNICS

DELTA TECHNICS — built for precision

Made in FINLAND



15 years
of international competition experience.

Delta Technics team consists of sport shooters in F-TR, F-Open and ELR sport disciplines. We have designed and manufactured our sporting rifles since 2011.

25 years
of experience in heavy engineering.

Our RnD team has extensive engineering experience beyond gunsmithing and has worked in this field for over 25 years.

12 years
of combat experience,

Company employees & stakeholders are Ukrainian combat sniper veterans. DT tests all rifles with top Armed Forces regiments & SOF in real battlefield conditions.

Delta Technics - firearms technologies proven by sporting victories and combat experience



Our competitive advantages:


Sporting high-precision technology in every rifle. Guaranteed accuracy of all rifles - 0.25 MOA. The best existing military sniper rifles have 0.5 MOA a curacy, while most have 1.0 MOA.

We use the most modern materials - 7075 aluminium, maraging steels, and the latest polymers.
The designs of our rifles are improved and tested on the modern battlefield in Ukraine.

Our rifles are currently used for sport, tactical and hunting purposes by those who value the highest quality and precision. As proof of our values, we provide a lifetime warranty for civilian users and extensive customer support for military users.

Products and accessories

The full range of accessories for tactical missions, sports competition and hunting



Content

New Products 6-7
Sport 8-9
F-TR Rifles 10-11
F-Open Rifles 12-13
Tactical / Military / Law Enforcement 14-15
Short Action Tactical Rifles 18-21
Long Action Tactical Rifles 22-25
Chey-Tac Tactical Rifles 26-27
50 BMG Tactical Rifles 28-29
Special Operations Tactical Rifles 30-33
Hunting 34-35
Stalk Hunting 36-41
Mountain Long-Range Hunting 42-49
Accessories 50-61
Rifle Customization 62-65
DT Production Facilities 66-67
Production Under DT License In Your Country 68-69
DT Transfer Of Military Experience 70-71
DT Private label for firearms retailers and distributors 72-73
DT Warranty And Service 74-75
Contacts 76-77



NEW PRODUCTS

SUB-SONIC TACTICAL RIFLES | P. 32-33

DT subsonic Tactical rifle "SILENCER" 300 AAC Blackout, .338 WHISPER, .375 SOCOM



SB FDE WG AB CG
CMC CN CGOS CNP

CHEY-TAC ACTION TACTICAL RIFLES | P. 26-27

DT Chey Tac action Tactical rifle in aluminium chassis .375 CT, .408 CT, .338 ST.



SB FDE WG AB CG
CMC CN CGOS CNP

DT PRECISION SCOPE RINGS FOR 30 / 34 MM TUBE, 1/1.25 INCH HEIGHT | P. 56



P. 56

DT HEAVY CALIBER SCOPE MONOBLOCK FOR 30 / 34 MM TUBE, 1.5 INCH HEIGHT, 0 MOA | P. 57





P. 57

NEW PRODUCTS

STALK HUNTING RIFLES | P. 30-32

DT stalk hunting short action rifle in composite stock .308 WIN, .260 Rem 6.5 CRD, 6 CRD, 6.5 PRC, 300 WSM



SB FDE WG AB CG
CMC CN CGOS CNP


50 BMG ACTION TACTICAL RIFLES | P. 28-29

DT Anti Material and Extreme long range tactical rifle .416 Barrett / .50 BMG



SB FDE WG AB CG
CMC CN CGOS CNP

DT SOUND MODERATOR FOR 50 BMG AND 416 BARRETT RIFLES | P. 53



P. 53

DT RADIAL MUZZLE BRAKE FOR SHORT ACTION RIFLES | P. 52



P. 52

DT VIPER 4 CHAMB MUZZLE BRAKE FOR LONG ACTION RIFLES | P. 52



P. 52



FORGED IN COMPETITION: OUR SPORTING LEGACY



The Delta Technics story begins at the absolute pinnacle of international shooting sports. Our founder and Chief Gunsmith, Yevhen Shcherbakov, is not just a visionary engineer — he is the captain of the Ukrainian team, the 2015 European Champion in the individual event, a 2017 silver medalist, and a two-time European Team Champion. Ranked among the top ten shooters on 2017 WW F-TR world championship, he led our team in F-Class and ELR, the most demanding long-range shooting discipline in the world.



However, the global market's existing sporting rifles failed to meet our uncompromising standards. We demanded absolute precision, and we knew exactly what engineering modifications were required to achieve it. This relentless drive for perfection transformed our elite shooting team into a world-class design bureau. Delta Technics was born out of a fundamental necessity to win.

We engineered our rifles from the ground up to guarantee an exceptional shooting accuracy of 0.25 MOA — significantly surpassing the 0.5–1.0 MOA standard of most existing top rated rifles in the world — alongside unyielding reliability and zero fault tolerance under extreme match conditions. To achieve this, we widely utilize 7075 aluminium, maraging steel, composite, and high-durable DLC coating. DT barrels are manufactured in-house from high-precision barrel blanks provided by Brux and Krieger companies with highprecision cutting of single-point cut rifling, which allows achieve accuracy up to 2 microns.





We integrate flawless sports ergonomics, including hypersensitive trigger mechanism with a pull force of 70-150 grams for sports rifles, which provides absolute control at a critical moment.



Today, our proprietary innovations and patented know-how do more than win championships — they set the global standard for high-precision sporting firearms.



Delta Technics offer to its partners and customers not only sports, tactical and hunting rifles and accessories, but more:

- Extended service support;
- Training;
- Consulting;
- Spare parts;
- Lifetime warranty;
- Quick feedback.

DT F-TR sporting rifle

.308 WIN



Delta Technics

– Built for Precision

Engineered exclusively for the highly specialized F-TR long-range shooting discipline, this precision sporting rifle represents the pinnacle of competitive performance. Developed for the Ukrainian national team, it carries an elite legacy of victories.

This exact platform has secured multiple domestic championships, an individual European Championship gold, two individual silvers specifically in F-TR, a European Team Championship, and a Top-10 finish at the World Championship. Hand-built by master gunsmiths, it delivers absolute championship-tier dominance.

OPTIONAL ACCESSORIES



DT Precision Scope Rings for 30 / 34 mm tube, 1/1.25 Inch height



DT raincoat rifle cover



DT Roll-up shooting mat



DT cordura Medium-rifle drag bag

Available Options



Table of characteristics

SCAN

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Stock Material	Purpose
S-SA-SR-423473-FTR-WO	308	308 WIN	914,4 (1000 yards)	0.25 MOA	30 Twist 1/10	6.55	No magazine	Dense tough wood & Gunsmith Laminate	F-TR shooting discipline

BARREL

- **< 0.25 MOA Accuracy:** Equipped with Brux and Krieger barrel blanks top-tier match-grade 30-inch barrels, engineered in-house for extreme precision to comply with strict international F-TR sporting rules.

HIGH LEVEL LAMINATED STOCK

- **Vibration Dampening Laminate:** Premium weapon-grade laminate combining hard and soft wood layers. Dense layers guarantee ultimate longitudinal rigidity, while softer layers actively absorb transverse vibrations to ensure maximum shot grouping.
- **Adjustable Stock:** Designed strictly for highly stable position shooting. Features adjustable cheekpiece and buttstock for a flawless, repeatable shooting position.

ACTION, TRIGGER & COATING

- **Bolt Action Group:** Features Diamond-Like Carbon (DLC) coating for zero lubrication and allows toolless manual disassembly.
- **Sport Grade Trigger:** Integrates an elite Sport Grade trigger with an extremely light 70-150g pull weight.
- **Coating & Colours:** Treated with a special wood varnish to protect and enhance the natural wood. Available in 3 competitive colour profiles: Black and Red, Black and Yellow, and Deep Navy.

SPORTS PACKAGE & WARRANTY

- **Competition Readiness:** Delivered as a specialised single-shot precision platform out of the box.
- **Lifetime Warranty:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.

DT F-Open sporting rifle

7 WSM



Delta Technics

– Built for Precision

We create our F-Open rifles at the cutting edge of modern technologies as a top quality sporting weapon. We produce rifles of different calibers for F-class sport shooters. For several years we produce heavy rifles for F-Open with improved stability and shooting accuracy. The feature of our rifles is that they are only 5 - 10 grams lighter that maximum F-Open weight limitation. It helps to perform hi-precise fire. Our F-Open rifles are designed to be compatible with top notch F-Open tripods for shooting. This is an additional benefit.

Engineered exclusively for the exacting demands of F-Open long-range shooting, this precision sporting rifle represents the pinnacle of competitive firearms. Developed specifically for the Ukrainian national team, it carries an elite competitive legacy. This platform has secured multiple domestic championships, two European Team Championships, an individual European Championship, and a Top-10 finish at the World Championship. Hand-built by master gunsmiths, it delivers uncompromising championship-tier performance.

OPTIONAL ACCESSORIES



DT Precision Scope Rings for 30 / 34 mm tube, 1/1.25 Inch height



DT raincoat rifle cover



DT Roll-up shooting mat



DT cordura Medium-rifle drag bag

Available Options



Table of characteristics

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Stock Material	Purpose
S-SA-SR-118316-FO-WO	multiple	7 WSM 300 WSM 7 RSAUM	914,4 (1000 yards)	0.25 MOA	30 / 32 Twist 1/8, 1/9, 1/10	8.5	No magazine	Specialized weapon-grade laminate.	F-Open Sport.

SCAN

BARREL

- **< 0.25 MOA Accuracy:** Equipped with Brux and Krieger top-tier match-grade 30-inch barrels, engineered in-house for extreme precision to comply with strict international F-Open sporting rules.

HIGH LEVEL LAMINATED STOCK

- **Vibration Dampening Laminate:** Premium weapon-grade laminate combining hard and soft wood layers. Dense layers guarantee ultimate longitudinal rigidity, while softer layers actively absorb transverse vibrations to ensure maximum shot grouping.
- **Adjustable Stock:** Designed strictly for highly stable position shooting. Features adjustable cheekpiece and buttstock for a flawless, repeatable shooting position.

ACTION, TRIGGER & COATING

- **Bolt Action Group:** Features Diamond-Like Carbon (DLC) coating for zero lubrication and allows toolless manual disassembly.
- **Sport Grade Trigger:** Integrates an elite Sport Grade trigger with an extremely light 70-150g pull weight.
- **Coating & Colours:** Treated with a special wood varnish to protect and enhance the natural wood. Available in 3 competitive colour profiles: Black and Red, Black and Yellow, and Deep Navy.

SPORTS PACKAGE & WARRANTY

- **Competition Readiness:** Delivered as a specialised single-shot precision platform out of the box.
- **Lifetime Warranty:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.

MILITARY HISTORY



BATTLE-TESTED PRECISION: OUR MILITARY EVOLUTION



When the Russian invasion of Ukraine began in 2014, a harsh new reality emerged: the Ukrainian armed forces urgently required modern, high-precision sniper systems capable of dominating the battlefield. Delta Technics answered the call, pivoting our unparalleled sporting expertise toward military defence.



This transition was deeply personal. Yevhen Shcherbakov and all members of his factory shooting team deployed to the front lines as active combat snipers. They experienced firsthand the brutal, unforgiving demands dictated by the new war. Today, the core of our design bureau and production facility consists of combat veterans.



Rifles have been improving for all periods in which our gunsmiths and designers have been acting as snipers at the frontline and have absorbed their combat experience. The important achievement is overcoming the problems of the first “cold shot”, which is usually false. The development of a special patented DT Aluminium chassis enabled the overcoming of these problems. We also developed an ergonomic adjustable buttstock with a 5-axis adjustment.



Through our creative solutions, we adapted sporting rifles for combat conditions.

The company patented barrel rifling with a special design dedicated to reducing bullet friction in the barrel to improve accuracy.

Delta Technic’s unique DNA creates a direct, instant feedback loop from the battlefields to the engineering table.




We fused our sporting foundation with frontline solutions to develop a lethal lineup of sniper platforms. From classic bolt-action systems and large-calibre long-range rifles to ultra-quiet special operations weapons featuring an integrated sound moderator, every model is built for survival and supremacy.



Rifles are supplied in large numbers to sniper units, with continuous refinement through rigorous, real world combat testing.

Delta Technics doesn’t just manufacture weapons; we engineer victory.

MILITARY




ADVANCE PRODUCTION
TECHNOLOGIES AND MATERIALS



Delta Technics prioritizes uncompromised quality in every stage of barrel manufacturing. To build the ultimate precision platform, we source barrel blanks from Brux and Krieger, made from 416R stainless steel – the global gold standard for match-grade barrel production. They are produced by the single-pass hook rifling method, keeping manufacturing precision to within 2 microns. Today, this remains the most sophisticated and accurate technology in the firearms industry.




Engineered to proprietary specifications, our barrels feature a custom internal bore configuration with optimized land-to-groove ratios. This specialized geometry drastically reduces bullet friction during passage while completely preventing powder gas breakthrough.
By combining these advanced internal dynamics with extreme machining tolerances, Delta Technics rifles consistently achieve a guaranteed accuracy of 0.25 MOA.



To overcome the thermal limitations of aluminium chassis platforms, our engineers developed a patented interface between the receiver and chassis. By combining metals with opposing thermal expansion coefficients, we completely eliminated the 'cold bore flyer' – the false first shot that is unacceptable in tactical operations. This structural innovation ensures absolute first-round accuracy and flawless operational stability across extreme temperatures from -40°C to +40°C.
We CNC-machine our bolt action groups from



ultra-high-strength maraging steel and treat them with a Diamond-Like Carbon (DLC) coating. This super-hard polymer finish eliminates carbon buildup and lets the mechanism operate smoothly without oil lubrication, preventing jamming in dusty combat environments. The fluted 3-lug and 2-lug bolt, with a fast 60 and 90 degree throw, is engineered for complete toolless disassembly in the field.





Delta Technics aluminium chassis rifles feature a heavy-duty folding mechanism engineered for direct tactical mobility. Locking securely in folded and extended positions, the stock drastically reduces overall dimensions for compact vehicle transport and airborne operations. Crafted from weapon-grade 7075 T6 aluminium alloy, the rugged hinge withstands harsh combat abuse without developing play or looseness over thousands of folding cycles.



Flawless ergonomics deliver precision alignment across all shooting positions. Featuring toolless six-plane adjustment, shooters can instantly customize the length-of-pull, cheekpiece height, and buttpad position to match varying statures and heavy body armor setups. A specialized rotating buttpad actively absorbs heavy recoil, while the patented Knuckle Stand provides rigid rear support to minimize barrel toss for rapid follow-up shots.

DT Short action Tactical rifle in composite stock

.308 WIN



Delta Technics

– Built for Precision

Engineered for sniper support during dynamic assault operations, this short-action tactical rifle excels in close-quarter urban environments. Its compact, lightweight profile allows operators to navigate confined spaces while delivering decisive precision at ranges up to 900 meters. Beyond its primary military application, this highly adaptable classic stock platform seamlessly transitions into civilian hands, providing uncompromising reliability and accuracy for PRS sport competitions and dynamic stalk hunting.

OPTIONAL ACCESSORIES



DT Viper 3-chamber Muzzle Brake for the short action rifles



DT Scope rings 1/1.25 inch tall for 30/34 mm tube



DT Heavy Caliber Scope Monoblock for 30 / 34 mm Tube, 1.5 inch height, 0 MOA



AI 5/10 Rounds 308 WIN



DT Semi-Integrated Sound Moderator for Short Action



DT Roll-up shooting mat



DT cordura Medium-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

SCAN

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Stock Material	Purpose
T-SA-TR-396826N12DTSM-1SA1-PRS-CS	308 WIN 300 WSM	308 WIN 260 Rem 6.5 PRC 6.5 / 6 Creedmoor 300 WSM	900	0.25 MOA	16.5, 18, 20, 22 Twist: 1/8, 1/10.	5.5	5/10 rounds	High-strength modern composite.	Tactical Mounting hunting PRS sport

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** High-end precision "glass bedding" technology completely eradicates the cold bore flyer (cold shot deviation).
- **Muzzle Brake:** Harmonically tuned 3-chamber DT muzzle brake for short action; standard threads accept sound moderators.

STOCK

- **Composite Stock:** Non-reflective, high-strength weapon-grade composite with carbon inside. Features Picatinny top rail for optics and handguard rail for bipod mounting.
- **Adjustable Stock:** Modifiable length, adjustable rear buttpad height, vertical cheek-piece, and QD sling connection slots placed on the stock and handguard.

ACTION, TRIGGER & COATING

- **2-Lug Bolt Action:** Maraging steel, fluted 308 family repeater, 90-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Coating & Fluting:** Cerakote and softshell in 5 tactical colors and 4 camo patterns. Tactical grip features a specialized rough, sand-like texture for wet/freezing conditions. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

TACTICAL PACKAGE AND WARRANTY

- **Combat Readiness:** Delivered with 3 magazines out of the box, a muzzle brake, and a spare spring for the firing pin.
- **Lifetime Warranty for civil users:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.
- **Advanced Military customers support:** Annual special technical service and war-zone damages repairs. Barrel replacement after the period of natural wear. Accuracy tests for precision maintenance and advanced barrel accuracy repair if the test has failed. Details for the military support contract can be discussed with our military clients customer support team.

DT Short action Tactical rifle in aluminium chassis

.308 WIN



Delta Technics

– Built for Precision

Engineered for high-mobility sniper support during dynamic assault operations, this short-action tactical rifle delivers extreme precision in close-quarter and urban environments. Built on an advanced folding aluminium chassis, it provides operators with unparalleled portability without sacrificing ballistic dominance. Beyond military applications, this versatile platform seamlessly transitions into the civilian sector, offering uncompromising accuracy for PRS competitions and dynamic stalk hunting.

OPTIONAL ACCESSORIES



DT Viper 3-chamber Muzzle Brake for the short action rifles



DT Scope rings 1/1,25 inch heigh for 30/34 mm tube



Dt Heavy Caliber Scope Monoblock for 30 / 34 mm Tube, 1.5 inch height, 0 Moa



DT QD Mlock mount for sling



DT Picatinny aluminium rail Mlock mount 9 slots



DT Picatinny aluminium rail Mlock mount 3 slots



DT Semi-Integrated Sound Moderator for Short Action



DT MAGAZINE 10 rounds 308 WIN Family



DT Roll-up shooting mat



DT cordura Short-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

SCAN

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Chassis Material	Purpose
T-SA-TR-170284N21DTSM-2SA2-PRSSH-AL	308 WIN 300 WSM	308 WIN 260 Rem 6.5 PRC 6/6.5 Creedmoor 300 WSM	950	0.25 MOA	16.5, 18, 20, 22, 24 Twist: 1/8, 1/10.	5	10 rounds	Weapon-grade 7075 aluminium.	Tactical Stalk hunting PRS sport

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Differing thermal expansion coefficients between the chassis and receiver completely eradicate the cold bore flyer.
- **Muzzle Brake:** Harmonically tuned 3-chamber DT radial brake for short action; standard threads accept sound moderators.

CHASSIS

- **7075 T6 Aluminium:** Wear-resistant foundation with Picatinny top rail, handguard Picatinny rail for harris standart bipod mounting, and M-LOK compatibility. Optimized for DT standard 10-round magazines.
- **Foldable Stock:** 3 adjustment positions (vertical, length, angle), 2-axis cheekpiece, knuckle stand for stability, QD sling slots on the stock, and QD M-LOK mounted on the handguard.

ACTION, TRIGGER & COATING

- **3-Lug Bolt Action:** Maraging steel, fluted 308 family repeater, fast 60-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** 5 tactical colors, 4 camo patterns. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

TACTICAL PACKAGE AND WARRANTY

- **Combat Readiness:** Delivered with 3 magazines out of the box, a muzzle brake,DT QD Mlock mount for sling, and a spare spring for the firing pin.
- **Lifetime Warranty for civil users:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.
- **Advanced Military customers support:** Annual special technical service and warzone damages repairs. Barrel replacement after the period of natural wear. Accuracy tests for precision maintenance and advanced barrel accuracy repair if the test has failed. Details for the military support contract can be discussed with our military clients customer support team.

DT Long action Tactical rifles in composite stock

.338 LM



Delta Technics

– Built for Precision

Engineered for tactical sniper support and overwatch missions, these Long Action rifles deliver devastating stopping power at extended ranges from 900 to 1,600 meters. Designed to dominate mountain passes and open terrains, this heavy-caliber classic stock platform ensures improved wind resistance and terminal ballistics. Beyond military applications, its prominent long-range capabilities seamlessly transition into civilian use, offering uncompromising precision for ELR sport competitions under one mile and high-altitude mountain hunting.

OPTIONAL ACCESSORIES



DT Viper 4-chamber Muzzle Brake for the Long action rifles



DT Scope rings 1/1,25 inch heigh for 34 mm tube



DT Heavy Calibre Scope Monoblock for 30 / 34 mm tube, 1.5 Inch Height, 0 MOA



DT Universal Bipod Picatinny Rail Mount Long Action / CheyTac / .50 BMG



AI 5 Rounds 338LM/300WM Magazine



DT Semi-Integrated Sound Moderator for the long action rifles



DT Roll-up shooting mat



DT cordura Medium-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

SCAN

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Stock Material	Purpose
T-LA-TR-741157N13DTSM1LA1-LRMH-CS (300WM) **T-LA-TR-850653N14DTSM1LA1-LRMH-CS (338LM)**	300 WM 338 LM	300 WM 338 LM	1600	0.25 MOA	24, 26, 27 Twist: 1/9.35, 1/10	6 - 6.5	5 rounds	High-strength modern composite.	Tactical ELR 1 mile Mountain hunting

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Precision “glass bedding” technology completely eradicates the cold bore flyer.
- **Muzzle Brake:** Harmonically tuned 4-chamber DT brake for long action; standard threads accept sound moderators.

STOCK

- **Composite Stock:** Non-reflective weapon-grade composite with carbon. Picatinny top rail and handguard rail for bipod. Optimized for standard AI 5-round magazines.
- **Adjustable Stock:** Modifiable length, vertical cheekpiece, adjustable rear buttpad height, and QD sling connection slots.

ACTION, TRIGGER & COATING

- **2-Lug Bolt Action:** Maraging steel, fluted 338LM and 300WM repeater, 90-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** 5 tactical colors, 4 camo patterns. Sand-like grip texture for wet/freezing conditions. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

TACTICAL PACKAGE AND WARRANTY

- **Combat Readiness:** Delivered with 3 magazines out of the box, a muzzle brake,DT QD Mlock mount for sling, and a spare spring for the firing pin.
- **Lifetime Warranty for civil users:** Backed by Delta Technic’s Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.
- **Advanced Military customers support:** Annual special technical service and warzone damages repairs. Barrel replacement after the period of natural wear. Accuracy tests for precision maintenance and advanced barrel accuracy repair if the test has failed. Details for the military support contract can be discussed with our military clients customer support team.

DT Long action Tactical rifles in aluminium chassis

.338 LM



Delta Technics

– Built for Precision

Engineered for high-mobility sniper support and tactical overwatch, these Long Action rifles deliver devastating stopping power and armor penetration at extended ranges up to 1,650 meters. Built on an advanced folding aluminium chassis, they provide operators with unparalleled portability during rapid mountain deployments or dynamic assault operations. Beyond military applications, this long-range platform seamlessly transitions into civilian use, offering uncompromising precision for ELR sport competitions under one mile and high-altitude mountain hunting.

OPTIONAL ACCESSORIES



DT Viper 4-chamber Muzzle Brake for the Long action rifles



DT Scope rings 1/1,25 inch heigh for 34 mm tube



DT Heavy Calibre Scope Monoblock for 30 / 34 mm tube, 1.5 Inch Height, 0 MOA



DT Universal Bipod Picatinny Rail Mount Long Action / CheyTac / .50 BMG



DT Magazine 10 Rounds 338 LM Family



DT Semi-Integrated Sound Moderator for the long action rifles



DT Roll-up shooting mat



DT cordura Medium-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

SCAN

model	Basic calibers	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Chassis Material	Purpose
T-LA-TR-791388N22DTSM2LA2-LRMH-AL (300WM) **T-LA-TR-637561N23DTSM2LA2-LRMH-AL (338LM)**	300 WM 338 LM	300 NM 300 WM 338 LM	1600	0.25 MOA	24, 26, 27 Twist: 1/9, 1/9.35 1/10	5.5 - 6	10 rounds	Weapon-grade 7075 aluminium.	Tactical ELR 1 mile Mountain hunting

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Differing thermal expansion coefficients between the chassis and receiver completely eradicate the cold bore flyer.
- **Muzzle Brake:** Harmonically tuned 4 and 6 chamber DT brake for long action; standard threads accept sound moderators.

CHASSIS & STOCK

- **7075 T6 Aluminium:** Wear-resistant foundation with Picatinny top rail, handguard Picatinny rail for bipod mounting, and M-LOK compatibility.
  Optimized for DT standard 10-round magazines.
- **Foldable Stock:** 3 adjustment positions (vertical, length, angle), 2-axis cheekpiece, knuckle stand for stability, QD sling slots on the stock, and QD M-LOK mounted on the handguard.

ACTION, TRIGGER & COATING

- **3-Lug Bolt Action:** Maraging steel, fluted 338LM and 300WM repeater, fast 60-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** 5 tactical colors, 4 camo patterns. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

TACTICAL PACKAGE AND WARRANTY

- **Combat Readiness:** Delivered with 3 magazines out of the box, a muzzle brake,DT QD Mlock mount for sling, and a spare spring for the firing pin.
- **Lifetime Warranty for civil users:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.
- **Advanced Military customers support:** Annual special technical service and warzone damages repairs. Barrel replacement after the period of natural wear. Accuracy tests for precision maintenance and advanced barrel accuracy repair if the test has failed. Details for the military support contract can be discussed with our military clients customer support team.

DT Chey Tac action Tactical rifle in aluminium chassis

.375 CT



Delta Technics

– Built for Precision

Engineered for absolute dominance at extreme distances, these large-caliber sniper rifles deliver unmatched kinetic energy and armor penetration up to 2,100 meters. Designed for elite operators executing ultra-long-range overwatch and anti-materiel tactical missions, this high-mobility platform ensures decisive stopping power. Beyond the battlefield, its extreme precision flawlessly transitions into civilian applications, making it the ultimate choice for King of 1 and 2 Miles (ELR) sport competitions and extreme mountain hunting (.375 caliber)

OPTIONAL ACCESSORIES



DT VIPER 6 chamber Muzzle Brake for 50 BMG, 416 BARRET and Chey Tac rifles



DT Scope rings 1/1,25 inch heigh for 30/34 mm tube



DT Heavy Calibre Scope Monoblock for 30 / 34 mm tube, 1.5 Inch Height, 0 MOA



DT Picatinny aluminium rail M-LOK mount 9 slots



DT Picatinny aluminium Rail M-LOK mount 3 slots



DT Universal Bipod Picatinny Rail Mount Long Action / Chey-Tac / .50 BMG



DT Semi-Integrated Sound Moderator for the Chey Tac action rifles



DT QD M-LOK mount for sling



DT MAGAZINE 10 rounds Chey Tac Family



DT Roll-up shooting mat



DT cordura Medium-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Chassis Material	Purpose
T-CT-TR-759684N24DTSM-2CA2-ELR-AL (338ST) **T-CT-TR-551876N24DTSM2CA2-ELR-AL (375 CT)** **T-CT-TR-620612N25DTSM2CA2-ELR-AL (408 CT)**	Chey Tac	375 CT 408 CT 338 ST	2100	0.25 MOA	27, 29, 30, 32 Twist: 1/7, 1/7.5, 1/9.35, 1/10.5, 1/12.	8 - 8.75	10 rounds	Weapon-grade 7075 aluminium.	Tactical ELR (King of 2 Miles) Mountain hunting

SCAN

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Differing thermal expansion coefficients between the chassis and receiver completely eradicate the cold bore flyer.
- **Muzzle Brake:** Harmonically tuned 6-chamber DT brake for Chey-Tac action; standard threads accept sound moderators.

CHASSIS

- **7075 T6 Aluminium:** Wear-resistant foundation with Picatinny top rail, handguard Picatinny rail, and M-LOK compatibility. Optimized for DT 10-round magazines.
- **Foldable Stock:** 3 adjustment positions (vertical, length, angle), 2-axis cheekpiece, rigid knuckle stand, and QD sling mounts.

ACTION, TRIGGER & COATING

- **3-Lug Bolt Action:** Maraging steel, fluted 375CT repeater, fast 60-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** 5 tactical colors, 4 camo patterns. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

TACTICAL PACKAGE AND WARRANTY

- **Combat Readiness:** Delivered with 3 magazines out of the box, a muzzle brake,DT QD Mlock mount for sling, and a spare spring for the firing pin.
- **Lifetime Warranty for civil users:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.
- **Advanced Military customers support:** Annual special technical service and war-zone damages repairs. Barrel replacement after the period of natural wear. Accuracy tests for precision maintenance and advanced barrel accuracy repair if the test has failed. Details for the military support contract can be discussed with our military clients customer support team.

DT Anti Material and Extreme Long Range Tactical rifle

.50 BMG



Delta Technics

– Built for Precision

Engineered for absolute battlefield dominance, these heavy-caliber anti-materiel rifles are designed to neutralize lightly armored vehicles, communication nodes, and critical infrastructure at distances up to 1,000 meters, while maintaining maximum lethal reach up to 3,200 meters. Built on a highly mobile folding aluminium platform, they deliver devastating kinetic energy. Beyond tactical deployments, the .416 Barrett modification sets the global standard for Extremely Long Range (ELR) shooting, dominating the prestigious King of 2 Miles civilian sport competitions.

OPTIONAL ACCESSORIES



DT VIPER 6 chamber Muzzle Brake for 50 BMG, 416 BARRET and Chey Tac rifles



DT Scope rings 1/1,25 inch heigh for 30/34 mm tube



DT Heavy Calibre Scope Monoblock for 30 / 34 mm tube, 1.5 Inch Height, 0 MOA



DT Picatinny aluminium rail M-LOK mount 9 slots



DT Picatinny Aluminium Rail M-LOK mount 3 slots



DT Universal Bipod Picatinny Rail Mount Long Action / Chey-Tac / .50 BMG



DT Semi-Integrated Sound Moderator Heavy Calibre



DT QD Mlock mount for sling



DT MAGAZINE 5 rounds capacity 50 BMG Family



DT Roll-up shooting mat



DT cordura Long-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

SCAN

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Chassis Material	Purpose
T-BMG-TR-887527N26DTSM2GA2-ELR-AL (416 Barrett) **T-BMG-TR-347770N27DTSM2GA2-ELR-AL (50 BMG)**	50 BMG	50 BMG 416 Barrett	3200	0.5 MOA	30, 32, 34, 36, 38, 40 Twist: 1/7.5, 1/9, 1/10.5, 1/12, 1/13.	9.5 - 10.5	5 rounds	Weapon-grade 7075 aluminium.	Anti-materiel ELR King of 2 Miles

BARREL & MUZZLE

- **< 0.5 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Differing thermal expansion coefficients between the chassis and receiver completely eradicate the cold bore flyer.
- **Muzzle Brake:** Harmonically tuned 6-chamber DT brake engineered for 50 BMG action; standard threads accept sound moderators.

CHASSIS

- **7075 T6 Aluminium:** Wear-resistant foundation with Picatinny top rail, handguard Picatinny rail, and M-LOK compatibility. Optimized for DT 5-round magazines.
- **Foldable Stock:** 3 adjustment positions (vertical, length, angle), 2-axis cheekpiece, rigid knuckle stand, and QD sling mounts on stock and handguard.

ACTION, TRIGGER & COATING

- **3-Lug Bolt Action:** Maraging steel, fluted 50BMG repeater, fast 60-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** 5 tactical colors, 4 camo patterns. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

TACTICAL PACKAGE AND WARRANTY

- **Combat Readiness:** Delivered with 3 magazines out of the box, a muzzle brake,DT QD Mlock mount for sling, and a spare spring for the firing pin.
- **Lifetime Warranty for civil users:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.
- **Advanced Military customers support:** Annual special technical service and war-zone damages repairs. Barrel replacement after the period of natural wear. Accuracy tests for precision maintenance and advanced barrel accuracy repair if the test has failed. Details for the military support contract can be discussed with our military clients customer support team.

SPECIAL OPERATIONS TACTICAL RIFLES

Delta Technics
– Built for Precision

Specifically designed for special operations forces, the company developed a compact, silent sniper rifle with a folding stock and an integrated suppressor; the entire barrel serves as the sound moderator. This allows for silent firing and reduced recoil. The integrated sound moderator includes the entire barrel, which serves as part of its supporting structure. This solves the issues of rifle balance and chamber volume. The rifle is designed to fire subsonic rounds and is available in three calibres: 300 AAC BLACKOUT, 338 WHISPER, and 375 SOCOM. This short, lightweight, and compact rifle, with its silent firing mechanism and reduced recoil, is ideal for urban combat and supporting assault operations. The rifle has undergone extensive combat testing on the front lines of the Russia-Ukraine war. Subsonic ammunition makes firing even more stealthy.



Delta Technics
– Built for Precision

DT subsonic tactical rifle “SILENCER”

.338 WHISPER



Delta Technics

– Built for Precision

Engineered for high-mobility sniper support during dynamic assault operations, this short-action tactical rifle delivers extreme precision in close-quarter and urban environments. Built on an advanced folding aluminium chassis, it provides operators with unparalleled portability without sacrificing ballistic dominance. Beyond military applications, this versatile platform seamlessly transitions into the civilian sector, offering uncompromising accuracy for for tactical shooting and dynamic stalk hunting.

OPTIONAL ACCESSORIES



DT Scope rings 1/1,25 inch heigh for 30/34 mm tube



DT QD Mlock mount for sling



DT Picatinny aluminium rail Mlock mount 9 slots



DT Picatinny aluminium rail Mlock mount 3 slots



DT MAGAZINE 10 rounds 308 WIN Family



DT Roll-up shooting mat



DT cordura Short-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

SCAN

BARREL & MUZZLE

- **< 0.5 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Differing thermal expansion coefficients between the chassis and receiver completely eradicate the cold bore flyer.
- **Integrated Sound Moderation:** Maximises expansion chamber volume, drastically reducing recoil, sound, and flash without increasing overall rifle dimensions.

CHASSIS

- **7075 T6 Aluminium:** Wear-resistant foundation with Picatinny top rail, handguard Picatinny rail for bipod mounting, and M-LOK compatibility. Designed for DT standard 10-round magazines.
- **Foldable Stock:** 3 adjustment positions (vertical, length, angle), 2-axis cheekpiece, knuckle stand for stability, QD sling connection slot on the stock, and QD Mlock mounted on the handguard.

ACTION, TRIGGER & COATING

- **3-Lug Bolt Action:** Maraging steel, fluted 308 family repeater, fast 60-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote Finish:** Ultra-durable non-reflective Cerakote coating available in 5 tactical colors and 4 premium camo patterns.

TACTICAL PACKAGE AND WARRANTY

- **Combat Readiness:** Delivered with 3 magazines out of the box, a muzzle brake,DT QD Mlock mount for sling, and a spare spring for the firing pin.
- **Lifetime Warranty for civil users:** Backed by Delta Technic’s Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.
- **Advanced Military customers support:** Annual special technical service and warzone damages repairs. Barrel replacement after the period of natural wear. Accuracy tests for precision maintenance and advanced barrel accuracy repair if the test has failed. Details for the military support contract can be discussed with our military clients customer support team.

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Chassis Material	Purpose
T-SSC-TR-289043N31DTSM-2SA1S-SOFSH-AL	multiple	300 AAC Blackout 338 WHISPER 375 SOCOM	300	0.5 MOA	12, 14.5	3.5	10 rounds	Weapon-grade 7075 aluminium.	Tactical urban warfare Stalk hunting

HUNTING WEAPONS

ENGINEERED FOR THE WILD:
UNCOMPROMISING HUNTING RIFLES





The ultimate testament to Delta Technics' engineering is our radically advanced line of hunting weapons. Since 2014, our team has worked as the Custom Gunsmithing Bureau. Its task has been to customize hunting weapons of individual owners worldwide. By 2021 a large database of various improvements by individual cases of different weapons' owners has been accumulated. Attention has been paid to the feedback from owners after customization of their rifles.



All this experience in the future was used for development and manufacturing of own hunting rifles of top level. Traditionally for the company, expensive materials of the highest quality are used for the production of the hunting rifles. By fusing the micro-precision of our championship sporting rifles with the rugged resilience of our military hardware, we have created the definitive platform for both dynamic stalk hunting and mountain long-range shooting.



Our hunting rifles inherit an astonishing strike accuracy of 0.25 MOA. Every component is machined to micron-level tolerances on world-class equipment, utilizing 7075 aluminium, maraging steel, Composite, and ultra-durable DLC coating.



For hunting rifles we use the same triggers we use in combat sniper rifles, made for the front. One of our defining engineering solutions is the ergonomic pistol grip, directly adapted from shooting sports to deliver superior control and accuracy specifically for stalk hunting rifles. Yet, these rifles are undeniably built for the wild.



Adopting frontline military solutions, we incorporated a folding stock in aluminium chassis rifles for effortless backpack transport during grueling mountain ascents. Designed for supreme fault tolerance, minimal maintenance, and peak performance in extreme environments — from mud and swamp to water — every model rigorously passes the Nordic Test, guaranteeing flawless operation from -40°C to +40°C.



Delta Technics provides a comprehensive lifetime warranty on all rifles and accessories, excluding only barrels, muzzle brakes, and sound moderators, which are naturally subject to operational wear over time.
More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on page 74-75.

HUNTING WEAPONS

ENGINEERED FOR STALK HUNTING





Stalk hunting demands exceptional mobility and off-hand precision. Our Short Action rifles, available in advanced folding aluminium and specialized composite stock, are engineered exactly for this dynamic environment. Based on years of custom engineering feedback, both chassis feature fully adjustable buttstocks and cheek pieces straight out of the box, ensuring perfect focal alignment without any aftermarket modifications.



We transferred our elite sporting technologies directly into this hunting lineup. Every barrel is machined to an extreme manufacturing accuracy of 2 microns, delivering an astonishing 0.25 MOA precision.

To maximize off-hand control at typical stalk hunting distances, we integrate a purpose-built radial muzzle brake that perfectly stabilizes X/Y planes during the shot.



Designed for supreme fault tolerance, these rifles guarantee flawless operation anywhere — from the freezing expanses of the North to the extreme heat of the African savanna.



Since 2014, Delta Technics has evolved from an elite custom gunsmithing bureau into a serial manufacturer, gathering extensive field feedback to perfect rifle ergonomics. Our stalk hunting systems are the direct result of this evolution, designed to deliver unparalleled balance and comfort without requiring any aftermarket modifications.



Whether selecting our specialized composite stock or the highly transportable folding aluminium chassis, every Delta Technics hunting rifle is factory-equipped with a fully adjustable buttstock. This ensures the shooter can precisely tailor the cheek piece to their unique physiology, guaranteeing immediate and flawless focal alignment with the optics.



Combined with an ergonomic pistol grip directly adapted from elite shooting sports, our platforms provide superior off-hand control and supreme maneuverability, making them the ultimate precision tool for dynamic stalk hunting.

DT stalk hunting short action rifle in composite stock

.308 WIN



Delta Technics

– Built for Precision

Engineered specifically for the dynamic demands of stalk hunting, this precision short-action rifle delivers exceptional mobility and off-hand accuracy. Merging our combat-proven reliability with elite sporting ergonomics, it is designed for hunters who require an immediate, flawless first shot. The perfectly balanced classic stock platform is unaffected by extreme temperature variations, guaranteeing peak performance in any climate. Hand-built to micron-level tolerances, it redefines the standard for modern hunting weapon systems.

OPTIONAL ACCESSORIES



DT Radial Muzzle Brake for short action rifles



DT Scope rings 1/1,25 inch heigh for 30/34 mm tube



DT Heavy Calibre Scope Monoblock for 30 / 34 mm tube, 1.5 Inch Height, 0 MOA



Al 5/10 Rounds 308 WIN



DT Semi-Integrated Sound Moderator for the short action rifles



DT Roll-up shooting mat



DT cordura Medi-um-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

SCAN

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Stock Material	Purpose
H-SA-HR-901367-SH-CS	308 WIN 300 WSM	308 WIN 260 Rem 6.5 PRC 6/6.5 Creedmoor 300 WSM	700	0.25 MOA	16, 18, 20 Twist: 1/8, 1/10.	4	5 or 10 rounds	Specialized weapon-grade composite	Stalk hunting PRS

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Precision “glass bedding” technology completely eradicates the cold bore flyer.
- **Muzzle Brake:** Harmonically tuned DT radial brake engineered for short action off-hand shooting; standard threads accept sound moderators.

CHASSIS & STOCK

- **Composite Stock:** Non-reflective weapon-grade composite with carbon. Picatinny top rail.
- **Adjustable Stock:** Modifiable length, vertical cheekpiece, adjustable rear buttpad height, and QD sling connection slots. Features a specialized sports-adapted ergonomic pistol grip for superior off-hand precision.

ACTION, TRIGGER & COATING

- **2-Lug Bolt Action:** Maraging steel, fluted 308 family repeater, 90-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** 5 tactical colors, 4 camo patterns. Sand-like grip texture for wet/freezing conditions. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

HUNTING PACKAGE AND WARRANTY

- **Hunting Readiness:** Delivered with 3 magazines out of the box, a muzzle brake, and a spare spring for the firing pin.
- **Lifetime Warranty for civil users:** Backed by Delta Technic’s Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.

DT stalk hunting short action rifle in aluminium chassis

.308 WIN



Delta Technics

– Built for Precision

Engineered for the highly dynamic demands of stalk hunting, this precision short-action rifle merges military-grade reliability with supreme portability. Built on an advanced folding aluminium chassis, it is designed for hunters who require extreme mobility without sacrificing accuracy. Whether navigating dense forests or rugged terrains, this perfectly balanced platform guarantees a flawless, immediate first shot. Hand-built to micron-level tolerances, it redefines off-hand hunting performance. DT provides specially designed muzzle brakes that improve accuracy and reduce recoil for each action series of DT rifles.

OPTIONAL ACCESSORIES



DT 3 chamber VIPER MUZZLE BRAKE



DT Scope rings 1/1,25 inch heigh for 30/34 mm tube



DT Heavy Calibre Scope Monoblock for 30 / 34 mm tube, 1.5 Inch Height, 0 MOA



DT QD Mlock mount for sling



DT Picatinny aluminium rail Mlock mount 9 slots



DT Picatinny aluminium rail Mlock mount 3 slots



DT Semi-Integrated Sound Moderator for the short action rifles



DT Magazine 10 Rounds 308 WIN Family



DT Roll-up shooting mat



DT cordura Short-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Chassis Material	Purpose
H-SA-HR-349252-SH-AL	308 WIN 300 WSM	308 WIN 260 Rem 6.5 PRC 6/6.5 Creedmoor 300 WSM	700	0.25 MOA	16, 18, 20 Twist: 1/8, 1/10.	4.5	10 rounds	Weapon-grade 7075 aluminium	Stalk hunting PRS

SCAN

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Differing thermal expansion coefficients between the chassis and receiver completely eradicate the cold bore flyer.
- **Muzzle Brake:** Harmonically tuned 3-chamber DT brake for short action; standard threads accept sound moderators.

CHASSIS & STOCK

- **7075 T6 Aluminium:** Wear-resistant foundation with Picatinny top rail, handguard Picatinny rail for bipod mounting, and M-LOK compatibility. Designed for DT standard 10-round magazines.
- **Foldable Stock:** 3 adjustment positions (vertical, length, angle), 2-axis cheekpiece, knuckle stand for stability, QD sling slots on the stock, and QD M-LOK mounted on the handguard.

ACTION, TRIGGER & COATING

- **3-Lug Bolt Action:** Maraging steel, fluted 308 family repeater, fast 60-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** 5 tactical colors, 4 camo patterns. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

HUNTING PACKAGE AND WARRANTY

- **Hunting Readiness:** Delivered with 3 magazines out of the box, a muzzle brake,DT QD Mlock mount for sling, and a spare spring for the firing pin.
- **Lifetime Warranty:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.

HUNTING WEAPONS

MASTERING
MOUNTAIN HUNTING





Mountain hunting demands the ultimate balance between lightweight transportability and perfect long-range ballistics. Engaging targets across peaks from 300 to 1,500 meters — whether in the freezing Norwegian rocks or the extreme heat of the African savanna — requires specialized engineering. Our Long Action rifles are purpose-built for this exact environment.



To minimize weight without sacrificing the high velocity needed for an average 800–meter shot, we utilize 26-27 In barrels with a unique thin contour and precise fluting, shedding mass while maintaining absolute barrel rigidity.



Available in highly resilient composite or our advanced aluminium chassis, these systems are built for grueling transitions. The aluminium platform features a rugged folding mechanism for effortless backpack carry. Both chassis feature fully adjustable buttstocks with precision regulators for length of pull and cheek piece height to ensure instant focal alignment, plus integrated rails for bipod mounting.



DT mountain and savanna long action hunting rifle in composite stock Light Barrel Contour

.338 LM



Delta Technics

– Built for Precision

Engineered for the extreme long-range demands of mountain and savanna hunting, this Long Action rifle delivers uncompromising ballistic performance in a highly mobile classic stock platform. Designed to accurately engage targets from 300 to over 1,200 meters, it flawlessly bridges the critical gap between lightweight portability and heavy-caliber stopping power. Hand-built to micron-level tolerances, this system empowers hunters to make decisive long-distance shots in the world's most demanding environments.

OPTIONAL ACCESSORIES



DT Radial Muzzle Brake



DT Scope rings 1/1,25 inch heigh for 30/34 mm tube



DT Universal Bipod Picatinny Rail Mount Long Action / Chey-Tac / .50 BMG



DT Picatinny aluminium rail Mlock mount 9 slots



DT Picatinny aluminium rail Mlock mount 3 slots



DT Semi-Integrated Sound Moderator for the long action rifles



AI 10 Rounds 338LM Magazine



DT Roll-up shooting mat



DT cordura Short-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

SCAN

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Stock Material	Purpose
H-LA-HR-151573	338 LM 300 WM	300 Win Mag 300 Norma Magnum 338 LM.	700 - 1200 (capable up to 1500 m)	0.25 MOA	26, 27 Twist: 1/9.35, 1/10.	5	5 or 10 rounds	Specialized weapon-grade composite	Mountain & Savanna Hunting PRS

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Precision "glass bedding" technology completely eradicates the cold bore flyer.
- **Muzzle Brake:** Compact DT Radial Muzzle Brake with gas-dynamic geometry, engineered to stabilize X/Y planes and reduce felt recoil; standard threads accept sound moderators.

CHASSIS & STOCK

- **Composite Stock:** Non-reflective weapon-grade composite with carbon. Picatinny top rail and handguard rail for bipod mounting. Optimized for standard AI 10-round magazines.
- **Adjustable Stock:** Modifiable length, vertical cheekpiece, adjustable rear buttpad height, and QD sling connection slots.

ACTION, TRIGGER & COATING

- **2-Lug Bolt Action:** Maraging steel, fluted 338LM and 300WM repeater, 90-degree throw, DLC coating, and toolless manual disassembly
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** Cerakote and softshell available in 5 tactical colors and 4 camo patterns. Sand-like grip texture for wet/freezing conditions. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

HUNTING PACKAGE AND WARRANTY

- **Hunting Readiness:** Delivered with 3 magazines out of the box, a muzzle brake, and a spare spring for the firing pin.
- **Lifetime Warranty:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.

DT mountain and savanna long action tactical and hunting rifle in composite stock Heavy Barrel Contour

.338 LM



Delta Technics

– Built for Precision

Engineered for the extreme demands of mountain hunting and tactical precision shooting, this Long Action rifle delivers uncompromising ballistic dominance. Designed to accurately engage targets from 300 to over 1,200 meters, it flawlessly bridges the gap between lightweight portability and heavy-caliber stopping power. Hand-built to micron-level tolerances, this elite composite classic stock platform empowers hunters and PRS competitors to execute decisive shots in the world's most unforgiving environments.

OPTIONAL ACCESSORIES



DT 4 chamber VIPER MUZZLE BRAKE for the Long action rifles



DT Scope rings 1 inch / 1,25 inch tall for 34 mm tube



DT heavy caliber Monoblock scope rings for 34 mm tube



DT Universal bipod - picatinny rails mount



AI magazine .338LM 5 - 10 rounds



DT Semi-Integrated Sound Moderator for the long action rifles



DT Roll-up shooting mat



DT cordura Medium-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

SCAN

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Stock Material	Purpose
H-LA-HR-230733-MH-CS	300 WM 338 LM	300 Win Mag 300 Norma Magnum 338 LM	700 - 1200 (capable up to 1500 m)	0.25 MOA	26, 27 Twist: 1/9, 1/9.35, 1/10.	5.5 - 6	5 or 10 rounds	Specialized weapon-grade composite 7075 T6 aluminium	Mountain & Savanna Hunting Tactical PRS

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Differing thermal expansion coefficients between the chassis and receiver completely eradicate the cold bore flyer.
- **Muzzle Brake:** Harmonically tuned 4-chamber DT brake engineered for long action; standard threads accept sound moderators.

CHASSIS & STOCK

- **Composite Stock:** Non-reflective weapon-grade composite with carbon. Picatinny top rail and handguard rail for bipod mounting. Optimized for standard AI standard 5-10 rounds magazines.
- **Foldable Stock:** 3 adjustment positions (vertical, length, angle), 2-axis cheekpiece, knuckle stand for stability, QD sling slots on the stock, and QD M-LOK mounted on the handguard.

ACTION, TRIGGER & COATING

- **Bolt Action:** Maraging steel, fluted 338LM and 300WM repeater, fast 90-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** 5 tactical colors, 4 camo patterns. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation. Also, no fluting option is available.

HUNTING PACKAGE AND WARRANTY

- **Hunting Readiness:** Delivered with 3 magazines out of the box, a muzzle brake, DT QD Mlock mount for sling, and a spare spring for the firing pin.
- **Lifetime Warranty:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.

DT mountain and savanna long action hunting rifle in aluminium chassis

.338 LM



Delta Technics

– Built for Precision

Engineered for the extreme long-range demands of mountain and savanna hunting, this Long Action rifle merges devastating ballistic performance with supreme portability. Designed to accurately engage targets from 300 to over 1,200 meters, it is built on an advanced folding aluminium chassis ensuring effortless backpack transport during grueling ascents. Hand-built to micron-level tolerances, this elite platform empowers hunters and PRS competitors to make decisive shots in the world's most unforgiving environments.

OPTIONAL ACCESSORIES



DT VIPER 4 chamber Muzzle Brake for the Long Action rifles



DT Scope rings 1 inch / 1,25 inch tall for 34 mm tube



DT heavy caliber Monoblock scope rings for 34 mm tube



DT Universal bipod - picatinny rails mount



DT QD Mlock mount for sling



DT Picatinny aluminium rail Mlock mount 9 slots



DT Picatinny aluminium rail Mlock mount 3 slots



DT Semi-Integrated Sound Moderator for the long action rifles



DT Magazine 10 Rounds 338 LM Family



DT Roll-up shooting mat



DT cordura Short-rifle drag bag



DT raincoat rifle cover

Available Options



Table of characteristics

model	Caliber Family	Basic calibers	Range, m	Accuracy	Barrel length In	Weight, kg	Magazine	Chassis Material	Purpose
H-LA-HR-230740-MH-AL	338 LM 300 WM	300 Win Mag 300 Norma Magnum 338 LM 300 WSM	700 - 1200 (capable up to 1500 m)	0.25 MOA	26, 27 Twist: 1/9.35, 1/10.	5 - 6	10 rounds	Weapon-grade 7075 aluminium	Mountain & Savanna Hunting PRS

SCAN

BARREL & MUZZLE

- **< 0.25 MOA Accuracy:** 2-micron hook rifling and internal twist-cutting completely eliminate bullet friction.
- **Cold Shot Elimination:** Differing thermal expansion coefficients between the chassis and receiver completely eradicate the cold bore flyer.
- **Muzzle Brake:** Harmonically tuned 4-chamber DT brake for short action; standard threads accept sound moderators.

CHASSIS & STOCK

- **7075 T6 Aluminium:** Wear-resistant foundation with Picatinny top rail, handguard Picatinny rail for bipod mounting, and M-LOK compatibility. Optimized for DT standard 10-round magazines.
- **Foldable Stock:** 3 adjustment positions (vertical, length, angle), 2-axis cheekpiece, knuckle stand for stability, QD sling slots on the stock, and QD M-LOK mounted on the handguard.

ACTION, TRIGGER & COATING

- **3-Lug Bolt Action:** Maraging steel, fluted 338LM and 300WM repeater, fast 60-degree throw, DLC coating, and toolless manual disassembly.
- **Tactical Trigger:** 225-1100g pull weight, fully adjustable for travel and single-stage preference, upper safety catch.
- **Cerakote & Fluting:** 5 tactical colors, 4 camo patterns. Three functional barrel fluting profiles structurally strengthen the barrel, minimize whip, and accelerate heat dissipation.

HUNTING PACKAGE AND WARRANTY

- **Hunting Readiness:** Delivered with 3 magazines out of the box, a muzzle brake,DT QD Mlock mount for sling, and a spare spring for the firing pin.
- **Lifetime Warranty:** Backed by Delta Technic's Lifetime Warranty on all mechanical parts. Components subject to natural competitive wear – such as the match-grade barrel – are covered by a limited warranty. More details on how Delta Technics protects and guarantees uncompromising quality are fully described in our official policies on the page 74-75.

ACCESSORIES

SCAN

Delta Technics
– Built for Precision

At Delta Technics, we apply the same uncompromising engineering standards to our accessories as we do to our rifles.
Operating a fully closed production cycle, we design and manufacture all rifle accessories – with the sole exception of optics – entirely in-house.
Before any product reaches mass production, it undergoes rigorous field testing by our dedicated team of combat veterans and elite sports shooters.
Every accessory is proven in extreme real-world conditions to ensure absolute reliability, flawless compatibility, and maximum precision.



Delta Technics
– Built for Precision

MUZZLE BRAKES

Engineered using specialised gas-turbine software, Delta Technics muzzle brakes mathematically calculate the physics of supersonic gas expansion. Every dimension and lamella angle is meticulously computed to achieve maximum recoil reduction within a minimal footprint. This advanced mathematical approach mirrors how we develop our sound moderators. To maximise gas obturation – aggressively preventing gases from bypassing the bullet – we utilise minimal inter-chamber clearances. Because these micro-tolerances can lead to bullet strikes, we ensure perfect thread alignment between the barrel and the device. Different calibres generate varying gas volumes, so a single design fails. We tailored 3, 4, and 6-chamber configurations to guarantee optimal stabilisation for your exact rifle system
Warning: Using 3rd-party muzzle brakes is strictly not recommended and voids the accuracy guarantee.



DT RADIAL MUZZLE BRAKE for short action rifles (308 WIN / .260 Rem / 6 /6.5 Creedmoor / 6.5 PRC)

A-SA-MBR-665474 | Titanium stalk hunting brake. Radial gas exits stabilize X/Y planes for off-hand shooting.



DT VIPER 3 chamber MUZZLE BRAKE for the short action rifles (308 WIN / .260 Rem / 6 /6.5 Creedmoor / 6.5 PRC)

A-SA-MB3C-719258 | Machined from titanium, specifically calculated to manage the gas volume of short action systems.



DT VIPER 4 chamber Muzzle Brake for the Long Action rifles (300 WM / 300 NM / 338 LM)

A-LA-MB4C-876883 | Machined from titanium, mathematically scaled for the increased gas expansion of long action rifles.



DT VIPER 6 chamber Muzzle Brake for 50 BMG, 416 BARRET and Chey Tac rifles

A-BMGCT-MB6C-231566 | Forged from heavy-duty steel. Specifically built for extreme loads, as titanium simply fractures under these massive pressures.

SOUND MODERATORS

The company has developed sound moderators for every popular family of calibres and for each bolt group of rifles. Main groups: for short-action rifles, for long-action rifles, for Chey Tac, and for 50 BMG calibre. The sound moderators have been designed specifically for each group separately. The design calculation was carried out on computer simulations, taking into account gas dynamics at supersonic speeds. Titanium, aluminium 7075, and weapon steel are used in the production of DT sound moderators. High-precision threading ensures alignment with the barrel and a small cross-section between the chambers. The combination of all factors results in high efficiency and sound-moderator quality, comparable to the top models on the market.



DT sound moderators are used in combat by snipers of the Ukrainian army in the war against Russia. On the civilian market, they are intended for hunting rifles in countries where hunting with a silencer is legally permitted.

Based on the direct combat experience of our combat sniper team and our military team, operating a sniper rifle in modern warfare without a pseudo-integrated sound moderator is physically impossible. While acoustic concealment is essential, the paramount tactical function of these suppressors is the elimination of muzzle flash, ensuring the operator remains undetected by enemy forces.

Beyond crucial visual signature reduction, our pseudo-integrated design significantly reduces the overall length of the suppressed rifle and revolutionizes weapon ergonomics. By shifting the center of mass closer to the fore-end, this design perfectly balances the weapon's weight, ensuring maximum operator comfort, reduced fatigue, and superior maneuverability during rapid movement and dynamic engagements.

SKU	Model & Caliber Family
A-SA-SMSINT-223832	DT Semi-Integrated Sound Moderator for .223 Rem
A-SA-SMSINT-471876	DT Semi-Integrated Sound Moderator for the short action rifles (308 WIN / .260 REM / 6 CRD / 6.5 CRD/6.5 PRC / .300 WSM)
A-LA-SMSINT-201250	DT Semi-Integrated Sound Moderator for the long action rifles (.300 NM / .300WM / .300 WSM / 338 LM)
A-CT-SMSINT-401202	DT Semi-Integrated Sound Moderator for the Chey Tac action rifles (375 CT / 338 ST)
A-BMG-SMSINT-348360	DT Semi-Integrated Sound Moderator for 50 BMG and 416 Barrett rifles

BIPOD

Developed by the military for the military and by athletes for athletes, the Delta Technics universal bipod is engineered specifically for heavy-recoil systems: Long Action, CheyTac, and .50 BMG platforms. While standard foldable bipods often suffer from structural play, our design completely eliminates loose tolerances, delivering the extreme rigidity typically found only in specialized, non-folding competition bipods. This robust architecture perfectly manages massive recoil, guaranteeing high-precision shooting by actively preventing rifle hop and shot deviation. Machined primarily from lightweight, high-strength aluminium, all critical high-stress components are reinforced with durable steel. To seamlessly adapt to uneven terrain during mountain hunting or tactical deployments, it features independent dual-stage adjustability, allowing operators to precisely customize both leg length and tilt angle for each leg individually.



DT Universal bipod for picatinny rail mount -
Long Action Chey Tac and 50 BMG compatible
A-LAWC-BP-469210











MAGAZINES

These compact, high-capacity polymer magazines are engineered exclusively for Delta Technics rifles and will not fit any other system. Mating a steel receiver to an aluminium chassis creates a critical thermal mismatch. In extreme combat temperatures (-50°C to +40°C), this causes the dangerous "cold bore flyer" (first shot deviation). Competitors attempt to fix this using fragile Devcon resin bedding or by glueing the receiver – flawed methods that crack under tactical stress and are categorically unfit for war. We eliminated this flaw through pure structural engineering. Our steel receivers feature integral metal lugs that ensure consistent chassis contact without bedding. Because of these advanced structural lugs, standard legacy magazines cannot physically fit. Thus, we purpose-built these highly durable polymer magazines to flawlessly integrate with our exclusive receiver geometry




A-SA-MAG10-764681 | DT MAGAZINE 10 ROUNDS 308 WIN FAMILY



A-LA-MAG10-136910 | DT MAGAZINE 10 ROUNDS 338 LM FAMILY



A-CT-MAG10-112778 | DT MAGAZINE 10 ROUNDS 375 CHEY TAC FAMILY



A-BMG-MAG5-860773 | DT MAGAZINE 5 ROUND 50 BMG FAMILY

SKU	Model & Caliber Family
A-SA-MAG10-764681	DT MAGAZINE 10 ROUNDS 308 WIN FAMILY
A-LA-MAG10-136910	DT MAGAZINE 10 ROUNDS 338 LM FAMILY
A-CT-MAG10-112778	DT MAGAZINE 10 ROUNDS 375 CHEY TAC FAMILY
A-BMG-MAG5-860773	DT MAGAZINE 5 ROUND 50 BMG FAMILY

Exclusive high-tech polymer.
Fits DT lugged receivers to permanently stop cold bore flyers.

ACCESSORIES FOR OPTICS MOUNTING

The peculiarity of the mounts for DT optics is that the design solutions of the top models on the market were used, with the addition of new elements that turned the mounts not just into brackets for optics but into multifunctional ones.
Rings and monoblocks allow you to attach additional equipment - cameras, night vision devices, target pointers, rangefinders, ballistic calculators. For all this, additional space and ports for attached equipment are provided. Each mount is equipped with a bubble level.
The mounts are made of 7075 T6 aluminium, which is widely used in aerospace technology today.
Mounts for optics of three types are provided: Scope rings, Heavy calibre monoblock - for heavy rifles, Light calibre monoblock - for AR automatic rifles. They correspond to the most popular sizes of optics: 30 and 34 mm, with the height of the ring from the centre of the optics to the mount 1 inch or 1.25 inches.



A-30MN1IN-RIN-433532 | DT PRECISION SCOPE RINGS FOR 30 TUBE, 1 INCH HEIGHT



A-34M1IN-RIN-439432 | DT PRECISION SCOPE RINGS FOR 34 TUBE, 1 INCH HEIGHT



A-30M1P25IN-RIN-433532 | DT PRECISION SCOPE RINGS FOR 30 TUBE, 1,25 INCH HEIGHT



A-34M1P25IN-RIN-931432 | DT PRECISION SCOPE RINGS FOR 34 TUBE, 1,25 INCH HEIGHT

SKU	Model
A-30MN1IN-RIN-433532	DT PRECISION SCOPE RINGS FOR 30 TUBE, 1 INCH HEIGHT
A-34M1IN-RIN-439432	DT PRECISION SCOPE RINGS FOR 34 TUBE, 1 INCH HEIGHT
A-30M1P25IN-RIN-433532	DT PRECISION SCOPE RINGS FOR 30 TUBE, 1,25 INCH HEIGHT
A-34M1P25IN-RIN-931432	DT PRECISION SCOPE RINGS FOR 34 TUBE, 1,25 INCH HEIGHT

HEAVY CALIBER MONOBLOCKS



A-30M-HEMB-445664 |DT HEAVY CALIBER SCOPE MONOBLOCK FOR 30MM TUBE, 1.5 INCH HEIGHT, 0 MOA



A-34M-HEMB-445002 | DT HEAVY CALIBER SCOPE MONOBLOCK FOR 34MM TUBE, 1.5 INCH HEIGHT, 0 MOA

SKU	Model
A-30M-HEMB-445664	DT HEAVY CALIBER SCOPE MONOBLOCK FOR 30MM TUBE, 1.5 INCH HEIGHT, 0 MOA
A-34M-HEMB-445002	DT HEAVY CALIBER SCOPE MONOBLOCK FOR 34MM TUBE, 1.5 INCH HEIGHT, 0 MOA

LIGHT CALIBER MONOBLOCKS



A-30M-LIMB-885664 | DT LIGHT CALIBER SCOPE MONOBLOCK FOR 30MM TUBE, 1.5 INCH HEIGHT, 0 MOA



A-34M-LIMB-115002 | DT LIGHT CALIBER SCOPE MONOBLOCK FOR 34MM TUBE, 1.5 INCH HEIGHT, 0 MOA

SKU	Model
A-30M-LIMB-885664	DT LIGHT CALIBER SCOPE MONOBLOCK FOR 30MM TUBE, 1.5 INCH HEIGHT, 0 MOA
A-34M-LIMB-115002	DT LIGHT CALIBER SCOPE MONOBLOCK FOR 34MM TUBE, 1.5 INCH HEIGHT, 0 MOA

RAILS AND SLING MOUNTS

We present to you the classic Piccatini rails manufactured by DT. They have been proving themselves as excellent ones in the whole world for decades, and all that we have changed in them is only the material. The DT company manufactures the rails of aluminium 7075 T6, which is widely used today in aerospace technology.



A-3S-MLPR-978789 | DT PICATINNY ALUMINIUM RAIL M-LOK MOUNT 3 SLOTS



A-9S-MLPR-987567 | DT PICATINNY ALUMINIUM RAIL M-LOK MOUNT 9 SLOTS



A-1S-MLQD-546547 | DT M-LOK MOUNT FOR SLING

model	Caliber Family
A-3S-MLPR-978789	DT Picatinny aluminium rail M-LOK mount 3 slots
A-9S-MLPR-987567	DDT Picatinny aluminium rail M-LOK mount 9 slots
A-1S-MLQD-546547	DT QD M-LOK mount for sling

The most popular types of Picatinny rails are available: of 3 or 9 slots and QD Mlock mount for sling. Only proven classics and nothing else.

SHOOTING RANGE AND TRAVEL ACCESSORIES

At Delta Technics, we understand that operational comfort and organization are critical to achieving peak performance. Applying the same uncompromising engineering principles used in our precision rifles, we develop a specialized line of shooting range and travel accessories designed specifically for sportsmen and military professionals. Built to withstand any weather conditions, our gear ensures maximum comfort and reliability – whether you are training at the range, competing in elite sports events, or executing tactical combat missions. Every accessory is thoughtfully designed and produced to provide the essential support you need to stay focused on the target.



A-S-DB-391562 | DT CORDURA SHORT-RIFLE DRAG BAG



A-M-DB-808258 | DT CORDURA MEDIUM-RIFLE DRAG BAG



A-L-DB-940405 | DT CORDURA LONG-RIFLE DRAG BAG

DT's soft rifle cases combine comfort, durability, and thoughtful design, using high-quality materials and components. Available in three sizes–Short-rifle, Medium-rifle, and Long-rifle–and three tactical colors: Sand, Olive, and Stealth Grey, they are made from Cordura®, known for its high tensile strength, moisture and heat resistance, UV protection, and easy maintenance. All cases feature premium YKK® hardware.

For lightweight, secure, and convenient storage, the interior includes a Modular Lightweight Load-carrying Equipment (MOLLE) system, two spacious pockets, and versatile Velcro panels for customizable gear placement. A detachable pouch provides storage for documents, small devices, and accessories. In addition to a carrying handle, ergonomic backpack straps ensure comfortable transport over long distances, making these cases ideal for hiking and mountain hunting.

model	Caliber Family
A-S-DB-391562	DT cordura Short-rifle drag bag
A-M-DB-808258	DT cordura Medium-rifle drag bag
A-L-DB-940405	DT cordura Long-rifle drag bag

SHOOTING MAT

Developed directly from the rigorous demands of professional shooting sports, the Delta Technics roll-up shooting mat fundamentally rethinks traditional mat design to maximize your firing precision. A common structural flaw in standard shooting mats is their uniform thickness; the internal insulation creates a soft, unstable surface under the shooter's supporting fist or rear rest, causing the rifle to bounce unpredictably during recoil. We eliminated this critical issue by engineering a specialized dual-material construction. The main body of the mat is crafted from a highly durable Cordura with an internal filler, providing excellent comfort and keeping the operator protected from mud and cold ground. However, the dedicated front section – where the rear of the rifle and the supporting hand rest – is made from a specialized, ultra-thin nylon. This innovative design allows the rear support to maintain rigid, hard contact with the ground for absolute stability during the shot, while still keeping you and your equipment out of the dirt. Designed for maximum portability, the mat rolls up extremely compactly for travel, and its premium tactical fabrics ensure it is exceptionally easy to clean and maintain after rigorous use in the field.





DT Roll-up shooting mat

A-U-RM-165045

RAINCOAT RIFLE COVER

Originally inspired by the rigorous demands of professional sports shooting, the Delta Technics raincoat rifle cover is an essential complementary accessory designed to accompany your primary transport bag. Spending an entire day at the shooting range often involves short breaks, and constantly packing and unpacking a heavy rifle into a main case is highly inconvenient. This quick-deployment cover solves that problem, allowing operators to safely leave their weapon on the firing line while ensuring it remains fully protected from environmental elements. It is engineered to completely shield the rifle's action and optics from flying dust and debris during extended range sessions. Additionally, the cover acts as a crucial ultraviolet barrier, preventing the rifle's surface coating and sensitive optical components from overheating under direct sunlight. Providing immediate and reliable protection against sudden rain, this cover ensures your equipment stays dry, pristine, and ready for action without any unnecessary hassle.



DT raincoat rifle cover

A-U-RC-930108

RIFLE CUSTOMIZATION

SCAN

Delta Technics
– Built for Precision

From 2014 to 2022, Delta Technics operated as a custom gunsmith bureau in Kyiv. We know precision shooting is deeply personal; shooters constantly upgrade mass-produced rifles by swapping stocks, bolt handles, and triggers. Ultimately, buyers spend premium money on tuning but remain stuck with inferior factory barrels. We completely eliminate this paradox.
Our serial rifles already deliver extreme out-of-the-box customization, yet we still embrace our bespoke roots. While we no longer perform individual retail builds, we engineer "custom serial rifles" tailored exclusively for the B2B sector: armed forces, Special Operations Forces (SOF), and large retail networks.

For operators modifying their own systems, we provide independent premium components. Upgrade any rifle with our proprietary bottom metals and match-grade triggers. Our triggers provide elite single-stage or two-stage operation, featuring micro-adjustments for pull weight and travel length.



Delta Technics
– Built for Precision

TRIGGER GROUPS



DT SPORT TRIGGER GROUP (extremely sensitive)
70 -170 grams pull weight F-class sport rifles
RC-NOSG-STG-884796 | Single-stage F-class trigger on zero-friction diamond bearings. Extremely sensitive (70-150g) with no safety catch. Strictly for bare-hand shooting from stable positions.



DT Upper Safety Catch TACTICAL TRIGGER GROUP
(duty-grade) 225-1100 grams pull weight Tactical, PRS and ELR rifles
RC-UPSG-TTG-125872 | Universal Remington-footprint trigger with classic upper safety. Delivers 4-way elite adjustability: pull weight, travel, overtravel, and precise finger reach for ultimate tactical ergonomics.



DT Lower Safety Catch TACTICAL TRIGGER GROUP
(duty-grade) 225-1100 grams pull weight Tactical, PRS and ELR rifles
RC-LOSG-TTG-278521 | Universal Remington-footprint trigger with classic upper safety. Delivers 4-way elite adjustability: pull weight, travel, overtravel, and precise finger reach for ultimate tactical ergonomics.



DT Bottom Metal REM 700 standard Short Action
(Trigger guard + Magazine Interface)
RC-REM-RBM-129877 | Classic bottom metal for Remington footprints. Designed for enthusiast gunsmiths building custom composite rifles. Requires traditional manual resin bedding to properly seat the bolt action.



DT Bottom Metal REM 700 standard Long Action
(Trigger guard + Magazine Interface)
RC-REM-RBM-138711 | Classic bottom metal for Remington footprints. Designed for enthusiast gunsmiths building custom composite rifles. Requires traditional manual resin bedding to properly seat the bolt action.



DT Bottom Metal DT standard Long Action
RC-DT-RBM-985365 | Advanced milled V-block with integrated action lugs. Completely eliminates complex resin bedding. Simply drops in to provide a rigid metal base, instantly upgrading preferred, flexible stocks.

BOLT ACTIONS



DT Bolt action group Short
action
RC-SA-BAG-907654 | 3-lug maraging steel short action with DLC. Features a 60° throw clearing large optics, roller-bearing for ultra-light lift, tool-less disassembly, and adjustable firing pin.



DT Bolt action group LA/ Chey
Tac action
RC-LA-BAG-907721| 3-lug maraging steel long/CT action with DLC. Features a 60° throw clearing large optics, roller-bearing for ultra-light lift, tool-less disassembly, and adjustable firing pin.




DT Bolt action group 50 BMG
RC-BMG-BAG-418320 | 3-lug maraging steel 50 BMG action with DLC. Features a 60° throw clearing large optics, roller-bearing for ultra-light lift, tool-less disassembly, and adjustable firing pin.

DT PRODUCTION FACILITIES

Delta Technics
– Built for Precision

The heritage and operational expertise of Delta Technics are deeply rooted in our origins: our founders and owners are Ukrainian veterans with direct combat experience. While our advanced production, R&D, and prototyping facilities are located entirely in Finland, our engineering DNA is forged in modern warfare. We transitioned elite sports-shooting precision to the military sector, fundamentally perfecting our weapon systems based on this personal battlefield expertise.

To achieve uncompromising accuracy, our Finnish facilities utilise state-of the-art 5-axis HAAS CNC machines operated by highly qualified engineering personnel. Furthermore, our exclusive intellectual property is strictly safeguarded by European and global patents.
As a fully certified defence manufacturer, we operate under an official NATO NCAGE code (A0A3G) and NATO certification number, holding a complete firearms export license. We maintain absolute control over our supply chain: every single material and component is sourced exclusively from Europe and NATO-allied nations. We categorically reject Chinese or unverified parts, ensuring our weapon systems deliver ultimate tactical reliability and comply seamlessly with STANAG requirements.



Delta Technics
– Built for Precision

PRODUCTION UNDER DT LICENSE IN YOUR COUNTRY

We are open to cooperation, investments and scaling our production facilities to NATO or NATO-friendly countries to produce firearms under the Delta Technics license outside Finland. We would like to expand our production and expertise to provide the best service and defence opportunities across Europe and NATO friendly countries worldwide.
The offer includes a transfer to you from Delta Technics:
The complete technical and design documentation package, covering our proprietary barrel manufacturing from Brux & Krieger blanks, alongside drawings, 3D models, material specs, heat-treatment protocols, process routing, and CNC datasets for:

1. Two- and three lug bolt action rifles in modifications:

THE TACTICAL RIFLES:
- 308 win boltface (short, long).
- Magnum boltface (short, long).
- 338LM boltface.
- 375CT boltface.
- 50 BMG boltface.

Rifle Caliber
Short Action
.308 WIN
.260 REM
6 CRD
6.5 CRD
6.5 PRC
.300 WSM
Long Action
300 WM
300 NM
338 LM
CHEYTAC Action
338 ST
375 CT
408 CT
50 BMG Action
50 BMG 30/34
416 Barrett 30/34

Rifle Caliber
F-Open sporting rifle
7 WSM
300 WSM
7 RSAUM
F-TR sporting rifle
308 Winchester
SH composite stock stalk hunting rifle
308 WIN
6.5 Creedmoore
6.5 PRC

Rifle Caliber
SH aluminium chassis with foldable butstock stalk hunting rifle
308 WIN
6.5 Creedmoore
6.5 PRC
MLR - composite stock hunting mountain rifle
300 NM
300WM
338 LM
MLR - aluminium chassis with foldable butstock hunting rifle
300 NM
300WM
338 LM

2. The triggers of:

THE TACTICAL RIFLES:
- Single-stage Sport modification
- Two-stage Hunting modification with upper or lower safety.
- Two-stage Military modification with upper or lower safety.

3. The muzzle brake in the following modifications:

- DT Radial Muzzle Brake for Short Action Rifles
- DT Viper 3-Chamber Muzzle Brake for Short Action Rifles
- DT Viper 4-Chamber Muzzle Brake for Long Action Rifles
- DT Viper 6-Chamber Muzzle Brake for CheyTac & Heavy Caliber Rifles

4. Accessoires for rifles:

- Sound moderators (see Accessoires chapter, page 52-53.)
- Bipods (see Accessoires chapter, page 54-55.)
- Magazines (see Accessoires chapter, page54-55.)
- Accessories for optics mounting (see Accessoires chapter, page 56-57.)
- Shooting range and travel accessories (see Accessoires chapter, page 59-61.)

Please get in touch with us to discuss opprortunbities for DT lincensed production and investments.

DT TRANSFER OF MILITARY EXPERIENCE AND SOF/LAW ENF/MILITARY TRAINING CONSULTING AND SUPPORT

Delta Technics
– Built for Precision

At Delta Technics, supplying precision weapon systems to Armed Forces, Law Enforcement, and Special Operations Forces (SOF) is never limited to just delivering hardware. Our team is driven by veterans with extensive direct combat experience. Having repeatedly executed sniper and marksman missions within SOF and assault units using our own rifles, our founders deeply understand how the proliferation of drones has fundamentally transformed modern warfare.

Because of this frontline reality, our military contracts are supported by comprehensive tactical consulting. We collaborate directly with operators to conduct specialised training, sharing practical battlefield expertise and explaining how to apply our weapon systems most effectively in real-world combat scenarios.

We prioritise continuous, rapid communication with the military personnel deploying our weapons. This critical frontline feedback loop enables us to continuously adapt our platforms and deeply customise our rifles to meet the highly specific operational requirements of individual tactical units.



DT CO-BRANDING/ WHITE LABLE/ PRIVATE LABLE – custom orders for retail chains and firearms distributors

Delta Technics
– Built for Precision

Delta Technics started as a custom bureau and has grown into a full-fledged R&D, design, and advanced production facility. Today, we leverage this engineering expertise to develop premium serial products for retail chains and firearms distributors. We offer comprehensive co-branding and white label solutions for hunting and tactical distribution networks.

We can deeply customize and manufacture high-quality, modern, and accurate rifles tailored exactly to the specific needs of your retail network. While these weapon systems will proudly feature your proprietary private label branding, they remain fully backed by Delta Technics. Every manufactured rifle is covered by our comprehensive warranty conditions and will be expertly maintained through our official service centers.

This cooperation is strategically aimed at expanding your private label assortment with unique custom products, ultimately enabling significantly better profit margins for retailers. We manufacture these tailored solutions in wholesale batches for partners worldwide. Please book a meeting with our specialist to discuss the precise terms of cooperation under this program.



Delta Technics
– Built for Precision

DT Warranty And Service

Official After-Sales Service System for Bolt-Action Rifles
1. Introduction and Scope

The Delta Technics Service Network (DT SN) is the official after-sales service and support system for bolt-action rifles manufactured in the European Union and distributed internationally. The system is designed to provide customers with high reliability, long-term support, and confidence in their purchase, while ensuring full compliance with all applicable firearms legislation in the countries where the system operates.

Rifles are supplied without optical sights or scopes. The warranty applies exclusively to mechanical components and manufacturer-produced accessories.

2. Warranty Policy

Warranty Period

A **Lifetime** warranty is provided on all nodes and mechanisms of the rifle, excluding barrel wear (natural resource/life of the barrel)

Coverage
The warranty covers manufacturing defects in materials and workmanship for the following:
- Bolt, receiver, trigger mechanism, stock/chassis, and all other mechanical components.
- Manufacturer-produced accessories and attachments (e.g., original bipods, mounts, magazines, or other factory-supplied fittings).

Exclusions
The warranty does not cover:
- Natural wear of the barrel, including erosion, throat erosion, or degradation of accuracy due to normal use (barrel life).
- Any optical sights, scopes, mounts, or sighting systems (rifles are supplied without optics)
- Damage resulting from misuse, neglect, improper maintenance, drops, impacts, unauthorized modifications, or use of non-original ammunition or cleaning agents.
- Corrosion or damage caused by environmental factors where proper care has not been observed.
- Natural wear of muzzle brakes and sound moderators

Barrel Replacement
Barrel replacement is available at any authorised service centre. Customers pay the cost of the new barrel at a substantial discount off the standard retail price, plus labour and any required proofing charges. A replaced barrel receives a separate 5-year warranty against manufacturing defects.

Warranty Registration
The warranty is automatically registered upon purchase from an authorised Delta Technics dealer. The purchaser receives a digital warranty certificate (with QR code) via email and through the customer portal.

3. Service Network Structure

Central Service Hub
The primary and central service centre is the Delta Technics Central Service Hub. This facility is fully equipped to handle complex repairs, barrel replacements, diagnostics, proofing preparation, and spare parts storage. The central hub facilitates efficient movement of firearms and components between the hub and regional service partners while maintaining strict regulatory compliance.

Regional Service Partners
Regional service is delivered exclusively through a network of authorised partner companies – specialist, certified firearms dealers licensed under the applicable national legislation in each market served by the network.
Partners are carefully selected, audited, and authorised. They are responsible for:
- Initial diagnostics and acceptance of rifles.
- Minor and medium-level repairs, adjustments, and maintenance.
- Forwarding complex cases (including barrel replacements) to the Central Service Hub.

All service points (central hub and regional partners) operate in full compliance with the applicable national firearms legislation and associated security standards for the storage and handling of firearms.

4. Service Procedures

Claim Submission
Claims may be submitted via the official DT SN online portal or through a regional authorized partner. Customers must provide photographs or video of the issue, the rifle's serial number, a copy of their firearms licence or permit (as required by applicable legislation), and proof of purchase.

Diagnosis and Repair
- Regional partners perform initial diagnosis within 48 hours.
- Minor repairs are completed locally.
- Complex repairs or barrel replacements are forwarded to the Central Service Hub.
- Target turnaround: 10–14 working days for standard repairs; up to 28 days for complex work (plus shipping time).

Transportation
Movement of firearms between service points and the Central Service Hub complies with all legal requirements, including appropriate declarations to carriers and secure transport protocols. Rifles are returned only to the licence or permit holder or an authorized licensed dealer upon presentation of a valid firearms licence or permit, as required by applicable legislation.

Records
All transactions are recorded in compliance with dealer register obligations under the applicable legislation.

5. Logistics, Compliance, and Quality Assurance

Spare parts are supplied from the EU manufacturer in accordance with applicable customs, VAT, and firearms control regulations. A strategic stock of high-demand components is maintained at the Central Service Hub.

All technicians (at the hub and partner sites) receive comprehensive training at the manufacturer's facility in the EU, plus mandatory annual certification in firearms law and safe handling.

The entire network adheres to applicable firearms security standards and relevant proofing requirements (via approved proof houses, where necessary).

6. Customer Benefits and Sales Support

The lifetime warranty on mechanical components, combined with convenient regional access and a central specialist hub, serves as a key unique selling proposition. Customers benefit from long-term peace of mind, professional support in all markets served by the network, and clear, transparent terms.

Additional programs, such as discounted routine maintenance through partners, may be introduced to enhance customer loyalty.

Warranty Certificate
Delta Technics Warranty Certificate

A **lifetime** warranty is provided on all nodes and mechanisms of the rifle, excluding barrel wear (natural resource/life of the barrel)

Product: Bolt-Action Rifle
Model: [Insert Model]
Serial Number: [Insert Serial No.]
Date of Purchase: [Insert Date]
Purchaser [Insert Name and Address]

This certificate confirms that the above rifle is covered by a lifetime warranty from the date of purchase, subject to the terms and conditions set out below.

Coverage
The warranty covers manufacturing defects in materials and workmanship for all mechanical components and mechanisms manufactured by Delta Technics, including the bolt, receiver, trigger assembly, stock/chassis, and any original manufacturer-produced accessories supplied with the rifle.

Important Exclusions
This warranty does not cover:
1. Natural wear or exhaustion of the barrel (including throat erosion, rifling wear, or any loss of accuracy resulting from normal use). Barrel replacement is available at a substantial discount, with the new barrel carrying a separate 5-year warranty against manufacturing defects.
2. Any optical sights, scopes, mounts, or other sighting systems (the rifle is supplied without optics). No warranty is provided on optics, whether fitted by the customer or a third party.
3. Damage caused by misuse, neglect, improper storage, unauthorised modifications, accidents, drops, or the use of non-standard ammunition or cleaning products.
4. Normal wear and tear on consumable or non-mechanical parts.
5. Natural wear of muzzle brakes and sound moderators

Claims Procedure
To make a claim, please contact an authorised regional service partner or submit details via the DT SN customer portal. Proof of purchase and a valid firearms licence or permit (as required by applicable legislation) must be provided. All repairs must be carried out by authorised personnel only.

General Conditions
- The warranty is transferable only with prior notification and approval.
- The rifle must be transported and serviced in accordance with current applicable firearms legislation.
- Delta Technics and its authorised service network reserve the right to inspect the rifle and determine whether a defect is covered.

This warranty is governed by the laws of the country of purchase. It does not affect your statutory rights as a consumer.

Issued by: Delta Technics Service Network
Date: [Insert Date]
Certificate Reference: [Insert Reference]

For full terms and conditions, visit the official DT SN portal or contact your authorised dealer.

CONTACTS

GET IN TOUCH WITH US

Delta Technics – European MilTech Company with NATO Standards.

Head Office: Tehdaskylänkuja 4, 11710, Riihimäki

Website: deltatechnics.eu

SCAN

NATO REGISTRATION NUMBER NCAGE: A0A3G.

BECOME A DISTRIBUTOR / COMMERCIAL INQUIRIES:
commerce@deltatechnics.fi

SERVICE & TECHNICAL SUPPORT: service@deltatechnics.fi

made in FINLAND

